### LU\_PROCESS\_CODE4

English Name Process Code Owner (Primary Key)

Oracle Name OWNER

**Description** Indicates the agency that defined the Process Code.

Data Type and Length CHAR (2)

Allowed Values HQ Nationally defined

**Default Value** 

English Name Process Code (Primary Key)

Oracle Name PROCESS CODE

**Description** Code specifying the unit group's current waste treatment, storage, or disposal process.

Data Type and Length VARCHAR2 (3)

Allowed Values Any non-blank value not already defined.

**Defined Values** Nationally-defined value in LU\_PROCESS\_CODE4

Existing nationally-defined values:

D79 Underground Injection Well Disposal

D80 Landfill

D81 Land Application
D82 Ocean Disposal

D83 Surface Impoundment Disposal

D99 Other Disposal
S01 Container
S02 Tank Storage
S03 Waste Pile

S04 Surface Impoundment Storage

S05 Drip Pad

S06 Containment Building - Storage

S99 Other Storage

SWM Solid Waste Management Unit

To1 Tank Treatment

T02 Surface Impoundment Treatment

T03 Incinerator T04 Other Treatment

T80 Boiler
T81 Cement Kiln
T82 Lime Kiln
T83 Aggregate Kiln
T84 Phosphate Kiln
T85 Coke Oven

LU_PROCESS_CODE4			
	T86	Blast Furnace	
	T87	Smelting, Melting, or Refining Furnace	
	T88	Titanium Dioxide Chloride Process Oxidation Reactor	
	T89	Methane Reforming Furnace	
	T90	Pulping Liquor Recovery Furnace	
	T91	Combustion Device Used in the Recovery of Sulfur Values from Spent Sulfuric Acid	
	T92	Halogen Acid Furnace	
	T93	Other Industrial Furnaces Listed in 40 CFR 260.10	
	T94	Containment Building - Treatment	
	TRN	Transporter	
	X01	Open Burning/Open Detonation	
	X02	Mechanical Processing	
	X03	Thermal Unit	
	X04 X99	Geologic Repository Other Subpart X	
Default Value	799	Other Subpart X	
English Name	Unit of Measure Type Owner (Primary Key)		
Oracle Name	UOM_OWNER		
Foreign Key	Foreign key to OWNER in LU_UNIT_OF_MEASURE.		
Description	Indicates the agency that defined the Unit of Measure Type.		
Data Type and Length	CHAR (2)		
Allowed Values	HQ	Nationally defined	
Default Value			
English Name	Unit of Measure Type (Primary Key)		
Oracle Name	UOM_TYPE		
Foreign Key	Foreign key to UNIT_OF_MEASURE_TYPE in LU_UNIT_OF_MEASURE.		
Description	Code indicating the unit of measure of the associated design capacity.		
Data Type and Length	CHAR (1)		
Allowed Values	Nationally-defined value in LU_UNIT_OF_MEASURE		
	Existing na	Existing nationally-defined values:	
	Α	acre-feet	
	В	acres	
	C	cubic meters	
	D	short tons per hour	
	Ē	gallons per hour	
	F	hectare-meter	
	G	gallons	

## LU\_PROCESS\_CODE4

H liters per hour
I BTU per hour
J pounds per hour
L liters
N short tons per day
Q hectares
R kilograms per hour

S metric tons per day
U gallons per day
V liters per day
W metric tons per hour

X million BTU per hour Y cubic yards

Z SWM-specific

#### **Default Value**

English Name Process Type
Oracle Name PROCESS\_TYPE

**Description** Indicates the type of process unit associated with the process code.

Data Type and Length VARCHAR2 (40)

Allowed Values Boiler-Industrial Furnace

Incinerator Land Disposal Ocean Disposal

SWMU Solid Waste Management Unit

Storage Transporter Treatment

#### **Default Value**

English Name Process Code Description
Oracle Name PROCESS\_DESC

**Description** English description of the Process Code.

Data Type and LengthVARCHAR2 (50)Allowed ValuesAny non-blank value

**Default Value** 

### LU PROCESS CODE4

**English Name** Process Code Usage

**Oracle Name** USAGE

**Description** Indicates who defined the data, if the data is required, and if the data may be released to the public.

**Data Type and Length** CHAR (1)

Nationally-defined **Allowed Values** 1

2

4

Nationally-required Routinely-released Nationally-defined Nationally-required Not routinely-released Nationally-defined

3 Not nationally-required

Routinely-released Nationally-defined

Not nationally-required Not routinely-released

**Default Value** 

**Process Code Active Status English Name** 

**Oracle Name ACTIVE STATUS** 

Indicates whether the Process Code is currently applicable. **Description** 

**Data Type and Length** CHAR (1)

**Allowed Values** Ν No

Υ Yes

**Default Value** Υ

Inactive codes (ACTIVE\_STATUS = "N") are retained in the lookup table for historical purposes. **Notes** 

**English Name** User ID of Last Change

**Oracle Name USERID** 

Description Records the user ID of the last person to change the data.

**Data Type and Length** VARCHAR2 (6) **Allowed Values** Valid user ID **Default Value** Current user ID

Date of Last Change **English Name Oracle Name** LAST CHANGE

Description Records the date that the data was last changed.

Data Type and Length DATE

**Allowed Values** Valid date/time stamp

# LU\_PROCESS\_CODE4

**Default Value** Current date and time

English Name Help Notes
Oracle Name HELP\_NOTES

**Description** Additional information regarding the Process Code.

Data Type and Length VARCHAR2 (240)

Allowed Values Any value

blank Not provided

**Default Value** blank

<sup>\*</sup> End of Report \*